



UNIVERSITY OF WASHINGTON MIA-IDENTIFIED SENSITIVE BUILDINGS:

- | | | | |
|--|--|---|---------------------------|
| 1. ELECTRICAL ENGINEERING/COMPUTER SCIENCE | 9. ROBERTS HALL | 16. MORE HALL | 23. FISHERIES CENTER |
| 2. JOHNSON HALL | 10. WINKENWERDER HALL | 17. MARINE STUDIES | 24. UWMC SURGERY PAVILION |
| 3. BAGLEY HALL | 11. HENDERSON HALL | 18. BIOENGINEERING/GEVOMICS | 25. MARINE SCIENCES |
| 4. CHEMISTRY | 12. OCEANOGRAPHY RESEARCH BUILDING | 19. JULIUS HALL | |
| 5. WILCOX HALL | 13. UW MEDICAL CENTER | 20. MECHANICAL ENGINEERING & ANNEX | |
| 6. PHYSICS/ASTRONOMY | 14. FISHERIES SCIENCES | 21. OCEAN SCIENCES | |
| 7. BURKE MUSEUM | 15. FISHERIES TEACHING & RESEARCH CENTER | 22. CENTER OF HUMAN DEVELOPMENT & DISABILITY (CHDD) | |
| 8. BENSON HALL | | | |

LEGEND:

- | | |
|--|---|
| | STATION AREAS |
| | UW MIA-IDENTIFIED SENSITIVE BUILDINGS |
| | EM SENSITIVE BUILDINGS |
| | BUILDING NAME |
| | OFFSET DISTANCE FOR VIBRATIONS TO SENSITIVE RECEPTORS WITHIN BUILDINGS. VARIES WITHIN BUILDINGS (FROM TUNNEL TOP OF RAIL TO BUILDING) |
| | OFFSET DISTANCE FOR EM TO SENSITIVE RECEPTORS WITHIN BUILDINGS, BUILDINGS 24 AND 25 ONLY (FROM TUNNEL TOP OF RAIL TO BUILDING) |